T2C3 Systems

Tactical TEMPEST Command and Control Centers






COTS Based

Customer Defined

Deployable Systems





Created by:



Designs and Develops customer defined packages for COTS based tactical computer and communications systems.



Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions

enable our service provider, enterprise and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks.









Phone: (703) 530-0500 FAX: (703) 530-0377

E-Mail: info@bemashield.com WEB Site: www.bemashield.com







Phone: (408) 616-3300 FAX: (408) 616-3400

E-Mail: <u>info@skystream.com</u> WEB Site: <u>www.skystream.com</u>










Phone: (505) 526-6606 FAX: (505) 526-7741

E-Mail: info@goaction.com

The "Custom COTS" Solution WEB Site: www.ActionSystems-US.com











T2C3 one man (small tent) Subsystem TACTICAL TEMPEST COMMAND AND CONTROL CENTER



FUNCTIONAL CHARACTERISTICS:

- 1- TEMPEST ENCLOSURE (80 DB ATTENUATION)
- 2- SECURE COMMUNICATION AT 64 KBPS
- 3- VTC POINT TO POINT OR DISTRIBUTED MODE
- 4- ENTIRE SYSTEM STORES ON LESS THAN A SINGLE PALLET OR IN REAR OF A HUMVEE
- 5-ONE (1) MAN CAN TAKE A STOWED CONFIGURATION AND BE A FULLY OPERATIONAL SYSTEM IN APPROXIMATELY 30 MINUTES

APPLICATION:

ONE MAN OR SMALL COLLECTION TEAM COULD BE USED AT THE TEAM LEVEL AS A SECURE SHELTER FOR PROCESSING DATA

BASELINE CONFIGURATION PRICE: \$46,709







37.599

THE BASELINE CONFIGURATION INCLUDES:

Single User @ 56K Analog Data Rate

GSA PART NUMBER

C00265

DESCRIPTION

Configured Item Price		\$	46,709
Description	Qty		Price
Enclosures	4	c	0.110
T2C3 Enclosure (1 man) VTC and Video Content Systems	1	\$	9,110
The anal trace content cycleme			

Created by:



Designs and Develops customer defined packages for COTS based tactical computer and communications systems.

info@goaction.com

www.ActionSystems-US.com



info@bemashield.com

Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents.

www.bemashield.com



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions

enable our service provider, enterprise and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks.

info@skystream.com www.skystream.com









T2C3 TEAM (3'x6'x7') Enclosure TACTICAL TEMPEST COMMAND AND CONTROL CENTER



FUNCTIONAL CHARACTERISTICS:

- 6- TEMPEST ENCLOSURE (80 DB ATTENUATION)
- 7- SECURE COMMUNICATION AT 128KBPS
- 8- VTC POINT TO POINT OR DISTRIBUTED MODE
- 9- ENTIRE SYSTEM STORES ON LESS THAN A SINGLE PALLET OR IN REAR OF A HUMVEE
- 10- TWO (2) MEN CAN TAKE A STOWED CONFIGURATION AND BE A FULLY OPERATIONAL SYSTEM IN APPROXIMATELY 30 MINUTES

APPLICATION:

One man or small collection team could be used at the team level as a Portable SCIF for processing data. Large enough to house and protect all network and communications hardware.

BASELINE CONFIGURATION PRICE:

\$102,808







GSA PART NUMBER

DESCRIPTION

	Configured Item Price		\$ 1	102,808	
	Description	Qty		Price	
	Enclosures				
C00266	T2C3 Enclosure (3' x 6' x 7')	1	\$	39,199	
	VTC and Video Content Systems Single User @ 56K Analog Data Rate	1	\$	37,599	
	Tactical LAN Systems				
	Tactical LAN with HUBs and Routers	1	\$	15,334	
	System Case Accessories				
C00139	2200BP 670 W-Hr @ 13 VDC	1	\$	5,808	
C00229	2300DT Desktop	1	\$	1,667	
C00232	2300MT Empty Case for Storage	2	\$	1,444	
C00235	1U Power Interface Unit for 2300	1	\$	1,757	

Created by:



Designs and Develops customer defined packages for COTS based tactical computer and communications systems.

info@goaction.com

www.ActionSystems-US.com



Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents. info@bemashield.com www.bemashield.com



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions enable our service provider, enterprise

and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks. info@skystream.com www.skystream.com









T2C3 Platoon (6'x6'x7') Enclosure TACTICAL TEMPEST COMMAND AND CONTROL CENTER



FUNCTIONAL CHARACTERISTICS:

- 11- TEMPEST ENCLOSURE (80 DB ATTENUATION)
- 12- HVAC SYSTEM
- 13- SECURE COMMUNICATION AT 128KBPS
- 14- VTC POINT TO POINT OR DISTRIBUTED MODE
- 15- ENTIRE SYSTEM STORES ON LESS THAN A SINGLE PALLET OR IN REAR OF A HUMVEE
- 16- TWO (2) MEN CAN TAKE A STOWED CONFIGURATION AND BE A FULLY OPERATIONAL SYSTEM IN APPROXIMATELY 30 MINUTES

APPLICATION:

CAN BE USED AT THE TEAM, COMPANY OR BATTALION LEVEL AS A SECURE SCIF FOR PROCESSING DATA. LARGE ENOUGH TO HOUSE AND PROTECT ALL NETWORK AND COMMUNICATIONS HARDWARE.

BASELINE CONFIGURATION PRICE: \$144,085







GSA PART NUMBER

DESCRIPTION

	Configured Item Price		\$ 1	144,085
	Description	Qty		Price
	Enclosures			
C00267	T2C3 Enclosure (6' x 6' x 7')	1	\$	75,682
	VTC and Video Content Systems			
	Single User @ 64K ISDN Data Rate	1	\$	42,393
	Tactical LAN Systems			
	Tactical LAN with HUBs and Routers	1	\$	15,334
	System Case Accessories			
C00139	2200BP 670 W-Hr @ 13 VDC	1	\$	5,808
C00229	2300DT Desktop	1	\$	1,667
C00232	2300MT Empty Case for Storage	2	\$	1,444
C00245	1U Power Interface Unit for 2300	1	\$	1,757

Created by:



Designs and Develops customer defined packages for COTS based tactical computer and communications systems.

info@goaction.com www.ActionSystems-US.com



Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents. info@bemashield.com www.bemashield.com



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions enable our service provider, enterprise

and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks. info@skystream.com www.skystream.com









T2C3 company (6'x9'x7') Enclosure TACTICAL TEMPEST COMMAND AND CONTROL CENTER



FUNCTIONAL CHARACTERISTICS:

- TEMPEST ENCLOSURE (80 DB ATTENUATION) 17-
- 18- HVAC SYSTEM
- 19-20-SECURE COMMUNICATION AT 128KBPS
- 20-VTC POINT TO POINT OR DISTRIBUTED MODE
- 21-ENTIRE SYSTEM STORES ON LESS THAN A SINGLE PALLET OR IN REAR OF A HUMVEE
- TWO (2) MEN CAN TAKE A **STOWED** CONFIGURATION AND BE A FULLY OPERATIONAL **SYSTEM IN APPROXIMATELY 30 MINUTES**

APPLICATION:

CAN BE USED AT THE TEAM, COMPANY OR BATTALION LEVEL AS A SECURE SCIF FOR PROCESSING DATA. LARGE ENOUGH TO HOUSE AND PROTECT ALL NETWORK AND COMMUNICATIONS HARDWARE.

BASELINE CONFIGURATION PRICE: \$226,706





GSA PART NUMBER

DESCRIPTION

	Configured Item Price		\$ 2	226,706
	Description	Qty		Price
	Enclosures			
C00268	T2C3 Enclosure (6' x 9' x 7')	1	\$	81,330
	VTC and Video Content Systems			
	Tactical LAN with Video Distribution	1	\$	66,115
	Single User @ 128K ISDN Data Rate	1	\$	63,499
	System Case Accessories			
C00139	2200BP 670 W-Hr @ 13 VDC	2	\$	11,616
C00229	2300DT Desktop	1	\$	1,667
C00232	2300MT Empty Case for Storage	1	\$	722
C00235	1U Power Interface Unit for 2300	1	\$	1,757

Created by:



Designs and Develops customer defined packages for COTS based tactical computer and communications systems.

info@goaction.com www.ActionSystems-US.com



Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents. info@bemashield.com www.bemashield.com



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions enable our service provider, enterprise

and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks. info@skystream.com www.skystream.com









T2C3 Company (9'x12'x7') Enclosure TACTICAL TEMPEST COMMAND AND CONTROL CENTER



FUNCTIONAL CHARACTERISTICS:

- 23- TEMPEST ENCLOSURE (80 DB ATTENUATION)
- 24- HVAC SYSTEM
- 25- SECURE COMMUNICATION AT 128KBPS
- 26- VTC POINT TO POINT OR DISTRIBUTED MODE
- 27- ENTIRE SYSTEM STORES ON LESS THAN A SINGLE PALLET OR IN REAR OF A HUMVEE
- 28- TWO (2) MEN CAN TAKE A STOWED CONFIGURATION AND BE A FULLY OPERATIONAL SYSTEM IN APPROXIMATELY 30 MINUTES

APPLICATION:

CAN BE USED AT THE COMPANY, BATTALION OR BRIGADE LEVEL AS A SECURE SCIF FOR PROCESSING DATA. LARGE ENOUGH TO HOUSE AND PROTECT ALL NETWORK AND COMMUNICATIONS HARDWARE.

BASELINE CONFIGURATION PRICE:

\$335,158







GSA PART NUMBER

DESCRIPTION

	Configured Item Price		\$:	335,158
	Description	Qty		Price
	Enclosures			
C00269	T2C3 Enclosure (9' x 12' x 7')	1	\$	103,253
	VTC and Video Content Systems			
	Tactical LAN with Video Distribution	1	\$	66,115
	Single User @ 64K ISDN Data Rate	2	\$	84,786
	Single User @ 128K ISDN Data Rate	1	\$	63,499
	System Case Accessories			
C00139	2200BP 670 W-Hr @ 13 VDC	2	\$	11,616
C00229	2300DT Desktop	3	\$	5,001
C00232	2200MT Empty Case for Storage	2	\$	888

Created by:



Designs and Develops customer defined packages for COTS based tactical computer and communications systems.



www.ActionSystems-US.com



Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents. info@bemashield.com www.bemashield.com



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions enable our service provider, enterprise

and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks. info@skystream.com www.skystream.com









T2C3 group/brigade (12'x12'x7') Enclosure TACTICAL TEMPEST COMMAND AND CONTROL CENTER



FUNCTIONAL CHARACTERISTICS:

- 29- TEMPEST ENCLOSURE (80 DB ATTENUATION)
- 30- HVAC SYSTEM
- 31- SECURE COMMUNICATION AT 128KBPS
- 32- VTC POINT TO POINT OR DISTRIBUTED MODE
- 33- ENTIRE SYSTEM STORES ON LESS THAN A SINGLE PALLET OR IN REAR OF A HUMVEE
- 34- TWO (2) MEN CAN TAKE A STOWED CONFIGURATION AND BE A FULLY OPERATIONAL SYSTEM IN APPROXIMATELY 30 MINUTES

APPLICATION:

CAN BE USED AT THE COMPANY, BATTALION OR GROUP/BRIGADE LEVEL AS A SECURE SCIF FOR PROCESSING DATA. LARGE ENOUGH TO HOUSE AND PROTECT ALL NETWORK AND COMMUNICATIONS HARDWARE.

BASELINE CONFIGURATION PRICE: \$397,201





GSA PART NUMBER

DESCRIPTION

	Configured Item Price		\$:	397,201
	Description	Qty		Price
	Enclosures			
C00270	T2C3 Enclosure (12' x 12' x 7')	1	\$	124,323
	VTC and Video Content Systems			
	Tactical LAN with Video Distribution	1	\$	66,115
	Single User @ 128K ISDN Data Rate	1	\$	63,499
	Secure Mobile Office Systems			
	Single User @ 64K ISDN Data Rate	3	\$	118,728
	System Case Accessories			
C00139	2200BP 670 W-Hr @ 13 VDC	3	\$	17,424
C00229	2300DT Desktop	4	\$	6,668
C00232	2200MT Empty Case for Storage	1	\$	444

Created by:





Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents. info@bemashield.com www.bemashield.com



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions enable our service provider, enterprise

and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks. info@skystream.com www.skystream.com









T2C3 out door Enclosure TACTICAL TEMPEST COMMAND AND CONTROL CENTER



FUNCTIONAL CHARACTERISTICS:

- TEMPEST ENCLOSURE (80 DB ATTENUATION) 35-
- 36- HVAC SYSTEM
- 37- SECURE COMMUNICATION AT 128KBPS 38- VTC POINT TO POINT OR DISTRIBUTED MODE
- 39-ENTIRE SYSTEM STORES ON LESS THAN A SINGLE PALLET OR IN REAR OF A HUMVEE
- TWO (2) MEN CAN TAKE A **STOWED** CONFIGURATION AND BE A FULLY OPERATIONAL **SYSTEM IN APPROXIMATELY 30 MINUTES**

APPLICATION:

THIS COULD BE USED FOR ANY OF THE COMPANY, BATTALION, GROUP/BRIGADE OR ABOVE UNITS.

BASELINE CONFIGURATION PRICE: \$349,703





GSA PART NUMBER

DESCRIPTION

	Configured Item Price		\$ 3	349,703
	Description	Qty		Price
	Enclosures			
C00271	T2C3 Enclosure (TecTent Outdoor')	1	\$	117,798
	VTC and Video Content Systems			
	Tactical LAN with Video Distribution	1	\$	66,115
	Single User @ 64K ISDN Data Rate	2	\$	84,786
	Single User @ 128K ISDN Data Rate	1	\$	63,499
	System Case Accessories			
C00139	2200BP 670 W-Hr @ 13 VDC	2	\$	11,616
C00229	2300DT Desktop	3	\$	5,001
C00231	2200MT Empty Case for Storage	2	\$	888

Created by:



Designs and Develops customer defined packages for COTS based tactical computer and communications systems.

info@goaction.com www.A

www.ActionSystems-US.com



Designs and Develops customer defined TEMPEST Enclosures from tabletops to complete Command Center, environmentally controlled tents. info@bemashield.com www.bemashield.com



Designs and Develops market-leading networking solutions for advanced video and IP services. Our solutions enable our service provider, enterprise

and federal customers to deliver enhanced video and IP services cost effectively over wired and wireless networks. info@skystream.com www.skystream.com







